Contents Volume 76, 1989/1990

Presence of the genus *Afrodon* [Mammalia, Lipotyphla(?), Adapisoriculideae] in Europe; new data for the problem of trans-Tethyan relations between Africa and Europe around the K/T boundary
E. Gheerbrant and D. E. Russell (Paris, France) 1
Deep-water hexactinellid sponge mounds from the Upper Triassic of northern Sichuan (China)
J. Wendt (Tübingen, F.R.G.), Xichun Wu (Chengdu, P.R. China) and J. W. Reinhardt (Assen, The Netherlands) 17
Climate and chronology of Antarctica and adjacent South America over the past 30,000 yr
C. J. Heusser (New York, NY, U.S.A.) 31
Paleosol nodules as Pleistocene paleoclimatic indicators, Luochuan, P.R. China
Yang Wang (Salt Lake City, UT, U.S.A.) and Shu-Hui Zheng (Beijing, P.R. China) 39
Palynology of the late Miocene *Oreopithecus*-bearing lignite from Baccinello, Italy
T. S. Harrison and T. Harrison (New York, NY, U.S.A.) 45
Southern Ocean circulation and global climate in the Middle Pleistocene (early Brunhes)
A. Kuijpers (Hørsholm, Denmark) 67
Stratigraphy and depositional history of the Pliocene Bianco section, Calabria, southern Italy
D. Rio (Parma, Italy), R. Thunell (Columbia, SC, U.S.A.), R. Sprovieri (Palermo, Italy), D. Bukry (Menlo Park, CA, U.S.A.), E. Destefano (Palermo, Italy), M. Howell (Columbia, SC, U.S.A.), I. Raffi (Parma, Italy), C. Sancetta (Palisades, NY, U.S.A.) and A. Sanfilippo (La Jolla, CA, U.S.A.) 85
Assemblages de foraminifères planctoniques en Mer Tyrrhénienne et en Mer Adriatique pendant les derniers 130 000 ans. Implications paléoécologiques. [Planktonic foraminiferal assemblages in the Tyrrhenian Sea and the Adriatic Sea during the last 130,000 years. Paleoecological implications.]
L. Blanc-Vernet (Marseille, France) and F. Sgarrella (Naples, Italy) 107
Taphonomy of the microvertebrate fauna from the early Miocene Thomas Farm locality, Florida (U.S.A)
A. E. Pratt (Statesboro, GA, U.S.A.) 125
Denudation rates in the Arctic estimated from lake sediments on Spitsbergen, Svalbard
J. I. Svendsen (Bergen, Norway), J. Mangerud (Bergen, Norway) and G. H. Miller (Boulder, CO, U.S.A.) 153
Is Holocene storm-generated stratification in Florida Bay a reflection of solar storm cycles?
G. Galli (Miami Beach, FL, U.S.A.) 169
Introduction
O. K. Davis (Tucson, AZ, U.S.A.) 187
Quaternary palaeolakes in the evolution of semidesert basins, with special emphasis on Lake Bonneville and the Great Basin, U.S.A.
D. R. Currey (Salt Lake City, UT, U.S.A.) 189
Paleohydrological indicators in playas and salt lakes, with examples from Canada, Australia, and Africa
J. T. Teller and W. M. Last (Winnipeg, Man., Canada) 215
Raised channel systems as indicators of palaeohydrologic change: a case study from Oman
J. Maizels (Aberdeen, U.K.) 241
Palaeoclimatic evidence from sand seas
N. Lancaster (Tempe, AZ, U.S.A.) 279
Quaternary alkalinity fluctuations recorded in rock varnish microlaminations on western U.S.A. volcanics
R. I. Dorn (Tempe, AZ, U.S.A.) 291
Desert paleoenvironmental data from cave speleothems with examples from the Chihuahuan, Somali-Chalbi and Kalahari deserts
G. A. Brook (Athens, GA, U.S.A.), D. A. Burney (Bronx, NY, U.S.A.) and J. B. Cowart (Tallahassee, FL, U.S.A.) 311
Caves as sources of biotic remains in arid western North America
O. K. Davis (Tucson, AZ, U.S.A.) 331
Reconstruction of past desert vegetation along the Colorado River using packrat middens
K. L. Cole (Porter, IN, U.S.A.) 349
Palynological analysis of hyrax middens from Southern Africa
L. Scott (Bloemfontein, South Africa) and C. B. Bousman (Dallas, TX, U.S.A.) 367